



CKC2




1 Hinged Solid Door

Product features:

- Ventilated cooling
- Designed for 2x20 l. KEG's.
- Stainless steel interior
- Adjustable feet

Technical information

Climate Class	N (32°C)
Temperature Range, °C	+2 to +10
Gross Volume, l	-
Net. Volume, l	2, 20 litres KEG
Cans, 330 ml	-
Cans, 500 ml	-
Bottles, 330 ml	-
External Dimensions, WxDxH	555x590x860
Internal Dimensions, WxDxH	270x500x730
Doors	1 hinged solid
Shelves	-
Outer body	Black
Interior	SS430
Castors/Feet	4 adjustable feet
Lock	No
Voltage/Frequency, V/Hz	220-240/50
Input power, W	250
Energy consumption, kWh/24h	2,0
Gross weight, kg	63
Net weight, kg	48
Noise Level dBA	45
Type of Cooling	Ventilated
Type of Defrost	Automatic
Thermometer	Yes
Refrigerant	R134a
Charge, g	120
Internal Light	No



	Date: 120929
Model: CKC2	Rev. no.: 01
20 l. KEG	Rev. by: rfj
Drawing no.: 123463-330114	



CKC4




1 Hinged Solid Door

Product features:

- Ventilated cooling
- Designed for 4x20 l. KEG's.
- Stainless steel interior
- Adjustable feet

Technical information

Climate Class	N (32°C)
Temperature Range, °C	+2 to +10
Gross Volume, l	-
Net. Volume, l	4, 20 litres KEG
Cans, 330 ml	-
Cans, 500 ml	-
Bottles, 330 ml	-
External Dimensions, WxDxH	880x590x860
Internal Dimensions, WxDxH	520x500x730
Doors	1 hinged solid
Shelves	-
Outer body	Black
Interior	SS430
Castors/Feet	4 adjustable feet
Lock	No
Voltage/Frequency, V/Hz	220-240/50
Input power, W	250
Energy consumption, kWh/24h	3,0
Gross weight, kg	80
Net weight, kg	63
Noise Level dBA	45
Type of Cooling	Ventilated
Type of Defrost	Automatic
Thermometer	Yes
Refrigerant	R134a
Charge, g	150
Internal Light	No



	Date: 120929
Model: CKC4	Rev. no.: 01
20 l. KEG	Rev. by: rfj
Drawing no.: 123463-330113	



CKC6




2 Hinged Solid Doors

Product features:

- Ventilated cooling
- Designed for 6x20 l. KEG's.
- Stainless steel interior
- Adjustable feet

Technical information

Climate Class	N (32°C)
Temperature Range, °C	+2 to +10
Gross Volume, l	-
Net. Volume, l	6, 20 litres KEG
Cans, 330 ml	-
Cans, 500 ml	-
Bottles, 330 ml	-
External Dimensions, WxDxH	1110x590x860
Internal Dimensions, WxDxH	735x500x730
Doors	2 hinged solid
Shelves	-
Outer body	Black
Interior	SS430
Castors/Feet	6 adjustable feet
Lock	No
Voltage/Frequency, V/Hz	220-240/50
Input power, W	250
Energy consumption, kWh/24h	3,5
Gross weight, kg	93
Net weight, kg	73
Noise Level dBA	45
Type of Cooling	Ventilated
Type of Defrost	Automatic
Thermometer	Yes
Refrigerant	R134a
Charge, g	150
Internal Light	No



	Date: 120928
Model: CKC6	Rev. no.: 01
20 l. KEG	Rev. by: rfj
Drawing no.: 123463-330112	



CKC8




2 Hinged Solid Doors

Product features:

- Ventilated cooling
- Designed for 8x20 l. KEG's.
- Stainless steel interior
- Adjustable feet


Technical information

Climate Class	N (32°C)
Temperature Range, °C	+2 to +10
Gross Volume, l	-
Net. Volume, l	8, 20 litres KEG
Cans, 330 ml	-
Cans, 500 ml	-
Bottles, 330 ml	-
External Dimensions, WxDxH	1350x590x860
Internal Dimensions, WxDxH	990x500x730
Doors	2 hinged solid
Shelves	-
Outer body	Black
Interior	SS430
Castors/Feet	6 adjustable feet
Lock	No
Voltage/Frequency, V/Hz	220-240/50
Input power, W	250
Energy consumption, kWh/24h	3,8
Gross weight, kg	104
Net weight, kg	83
Noise Level dBA	45
Type of Cooling	Ventilated
Type of Defrost	Automatic
Thermometer	Yes
Refrigerant	R134a
Charge, g	150
Internal Light	No





	Date: 120928
Model: CKC8	Rev. no.: 01
20 l. KEG	Rev. by: rfj
Drawing no.: 123463-330111	



20 l.
Ø236x556



30 l.
Ø286x622



30 l.
Ø406x350



	Date: 120929
Model: CKC	Rev. no.: 01
KEG SIZE	Rev. by: rfj
Drawing no.: 123463-330115	