

» Minibars



New design increases net. volume.

TM52G

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock



LED light



TM32G

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible glass door
- 1 adjustable shelf
- Automatic defrost
- Lock



TM42G

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock

Technical specifications

Model	TM32G	TM42G	TM52G
Climate Class	4	4	4
Temperature Range, °C	5-12	5-12	5-12
Gross Volume, l	32	42	52
Net Volume, l	31	41	51
External Dimensions, WxDxH, mm	402x406x500	402x450x560	402x450x670
Internal Dimensions, WxDxH, mm	316x215x400	316x245x459	316x245x569
Doors	1 glass	1 glass	1 glass
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	4 feet	4 feet	4 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	60
Energy Consumption, kWh/24h	See www.tefcold.dk	See www.tefcold.dk	See www.tefcold.dk
Gross Weight, kg	19,5	22	24
Net Weight, kg	16	17	19
Noise Level dbA	<30	<30	<30
Type of Cooling	Absorbtion	Absorbtion	Absorbtion
Type of Defrost	Automatic	Automatic	Automatic
Controller	Fuzzy Logic	Fuzzy Logic	Fuzzy Logic
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED

» Minibars



New design increases net. volume.

TM32

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible door
- 1 adjustable shelf
- Inner door shelf
- Automatic defrost
- Lock



LED light



TM42

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock



TM52

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock

Technical specifications

Model	TM32	TM42	TM52
Climate Class	4	4	4
Temperature Range, °C	2-12	2-12	2-12
Gross Volume, l	32	42	52
Net Volume, l	31	41	51
External Dimensions, WxDxH, mm	402x406x500	402x450x560	402x450x670
Internal Dimensions, WxDxH, mm	316x215x400	316x245x459	316x245x569
Doors	1 solid	1 solid	1 solid
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	4 feet	4 feet	4 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	60
Energy Consumption, kWh/24h	See www.tefcold.dk	See www.tefcold.dk	See www.tefcold.dk
Gross Weight, kg	17	18,5	21
Net Weight, kg	13,5	14,5	16
Noise Level dbA	<30	<30	<30
Type of Cooling	Absorbition	Absorbition	Absorbition
Type of Defrost	Automatic	Automatic	Automatic
Controller	Fuzzy Logic	Fuzzy Logic	Fuzzy Logic
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED