



Refrigeratori a vaschette da appoggio per condimenti e farciture in acciaio inox AISI 304, disponibili in varie lunghezze (da 1100 mm a 2560 mm).

Top mounted s/s AISI 304 pan coolers for topping and ingredients, different lengths available (from 1100 mm to 2560 mm).

- Allestimento per vaschette GN1/3 H max = 150mm (non comprese), adattabile con supporti optional a vaschette GN1/2, 1/4, 1/6, 1/9.
- Refrigerazione statica
- Controller digitale
- Scarico su fondo (pulizia facilitata)
- Disponibili senza vetro (Mod. S), con vetro (Mod. V) o con coperchio inox (Mod. K).

- Set up for GN1/3 H max = 150mm pans (not included), adaptable for GN1/2, 1/4, 1/6, 1/9 pans
- Static refrigeration
- Digital controller
- Water drain at the bottom (easy cleaning)
- Available without glass cover (Mod. S), with glass cover (Mod. V) or with s/s lid (Mod. K).

Termostato elettronico
Electronic thermostat



SPRING VRS

R290 - Profondità 395mm (per GN 1/3)

	Modello Model	Codice Code	Descrizione Description	Range Range	Dimensioni Dimensions mm	Gas Gas	Classe climatica Climate class	N° vaschette Pans Nr GN1/3	Assorbimento Absorbed power		Voltaggio Voltage Volt/Ph/Hz	Dimensioni imballo Packing dimensions mm	Peso Netto/Lordo Net/Gross weight Kg
									Watt****	A			
	VRS1100S	7VS11G3S2AA01	senza vetro without glass	+2/+7°C	1100x395x225	R290 GWP 3 Kg 0,05		4	247	5.03	230/1/50	1170x460x580	31/34
	VRS1260S	7VS12G3S2AA01			1260x395x225			5	247	5.03		1330x460x580	31/34
	VRS1300S	7VS13G3S2AA01			1300x395x225			5	247	5.03		1410x460x580	32/36
	VRS1450S	7VS14G3S2AA01			1450x395x225			6	247	5.03		1560x460x580	35/39
	VRS1815S	7VS18G3S2AA01			1815x395x225			8	247	5.03		1885x460x580	40/44
	VRS2005S	7VS20G3S2AA01			2005x395x225			9	247	5.03		2075x460x580	43/48
	VRS2560S	7VS25G3S2AA01			2560x395x225			12	247	5.03		2630x460x580	50/55
	VRS1100V	7VS11G3D2AA01	con vetro with glass	+2/+7°C	1100x395x429	R290 GWP 3 Kg 0,05		4	247	5.03	230/1/50	1170x460x580	49/54
	VRS1260V	7VS12G3D2AA01			1260x395x429			5	247	5.03		1330x460x580	50/55
	VRS1300V	7VS13G3D2AA01			1300x395x429			5	247	5.03		1410x460x580	53/59
	VRS1450V	7VS14G3D2AA01			1450x395x429			6	247	5.03		1560x460x580	58/64
	VRS1815V	7VS18G3D2AA01			1815x395x429			8	247	5.03		1885x460x580	68/75
	VRS2005V	7VS20G3D2AA01			2005x395x429			9	247	5.03		2075x460x580	72/80
	VRS2560V	7VS25G3D2AA01			2560x395x429			12	247	5.03		2630x460x580	86/96
	VRS1100K	7VS11G3K2AA01	coperchio inox s/s lid	+2/+7°C	1100x395x260	R290 GWP 3 Kg 0,05		4	247	5.03	230/1/50	1170x460x580	33/37
	VRS1260K	7VS12G3K2AA01			1260x395x260			5	247	5.03		1330x460x580	33/37
	VRS1300K	7VS13G3K2AA01			1300x395x260			5	247	5.03		1410x460x580	35/39
	VRS1450K	7VS14G3K2AA01			1450x395x260			6	247	5.03		1560x460x580	39/43
	VRS1815K	7VS18G3K2AA01			1815x395x260			8	247	5.03		1885x460x580	44/49
	VRS2005K	7VS20G3K2AA01			2005x395x260			9	247	5.03		2075x460x580	49/54
	VRS2560K	7VS25G3K2AA01			2560x395x260			12	247	5.03		2630x460x580	57/63
	VALVR452A	74877075	RIDUZIONE PER VERSIONE REMOTA Valvola R452A per modello remoto			PRICE REDUCTION FOR REMOTE UNIT VERSION R452A Valve for remote model							

**** Watt TN (-10/+45°C)

I gas fluorurati a effetto serra sono contenuti in apparecchiature ermeticamente sigillate.

Dati tecnici e caratteristiche soggetti a cambiamento senza preavviso.

**** Watt TN (-10/+45°C)

Fluorinated greenhouse refrigerant gases are contained in hermetically sealed equipment.

All specifications are subject to change without notice.



Refrigeratori a vaschette da appoggio per condimenti e farciture in acciaio inox AISI 304, disponibili in varie lunghezze (da 1100 mm a 2560 mm).

Top mounted s/s AISI 304 pan coolers for topping and ingredients, different lengths available (from 1100 mm to 2560 mm).

- Allestimento per vaschette GN1/3 H max = 150mm (non comprese)
- Adattabile con supporti optional a vaschette GN1/2, 1/4, 1/6, 1/9
- Refrigerazione statica
- Controller digitale
- Scarico su fondo (pulizia facilitata)
- Disponibili senza vetro (Mod. S), con vetro (Mod. V) o con coperchio inox (Mod. K).

- Set up for GN1/3 H max = 150mm pans (not included)
- Adaptable for GN1/2, 1/4, 1/6, 1/9 pans
- Static refrigeration
- Digital controller
- Water drain at the bottom (easy cleaning)
- Available without glass cover (Mod. S), with glass cover (Mod. V) or with s/s lid (Mod. K).

Termostato elettronico
Electronic thermostat



SPRING VRS

R404a - Profondità 395mm (per GN 1/3)

	Modello Model	Codice Code	Descrizione Description	Range Range	Dimensioni Dimensions mm	Gas Gas	Classe climatica Climate class	N° vaschette Pans Nr GN1/3	Assorbimento Absorbed power		Vtaggio Voltage Volt/Ph/Hz	Dimensioni imballo Packing dimensions mm	Peso Netto/Lordo Net/Gross weight Kg	
									Watt****	A				
	VRS1100S	7VS11G3S4AA01	senza vetro without glass	+2/+7°C	1100x395x225	R404A GWP 3922 Kg 0,110		4	229	4.82	230/1/50	1170x460x580	31/34	
	VRS1260S	7VS12G3S4AA01			1260x395x225				5	229		4.82	1330x460x580	31/34
	VRS1300S	7VS13G3S4AA01			1300x395x225				5	229		4.82	1410x460x580	32/36
	VRS1450S	7VS14G3S4AA01			1450x395x225				6	229		4.82	1560x460x580	35/39
	VRS1815S	7VS18G3S4AA01			1815x395x225				8	229		4.82	1885x460x580	40/44
	VRS2005S	7VS20G3S4AA01			2005x395x225				9	229		4.82	2075x460x580	43/48
	VRS2560S	7VS25G3S4AA01			2560x395x225				12	229		4.82	2630x460x580	50/55
	VRS1100V	7VS11G3D4AA01	con vetro with glass	+2/+7°C	1100x395x429	R404A GWP 3922 Kg 0,110		4	229	4.82	230/1/50	1170x460x580	49/54	
	VRS1260V	7VS12G3D4AA01			1260x395x429				5	229		4.82	1330x460x580	50/55
	VRS1300V	7VS13G3D4AA01			1300x395x429				5	229		4.82	1410x460x580	53/59
	VRS1450V	7VS14G3D4AA01			1450x395x429				6	229		4.82	1560x460x580	58/64
	VRS1815V	7VS18G3D4AA01			1815x395x429				8	229		4.82	1885x460x580	68/75
	VRS2005V	7VS20G3D4AA01			2005x395x429				9	229		4.82	2075x460x580	72/80
	VRS2560V	7VS25G3D4AA01			2560x395x429				12	229		4.82	2630x460x580	86/96
	VRS1100K	7VS11G3K4AA01	coperchio inox s/s lid	+2/+7°C	1100x395x260	R404A GWP 3922 Kg 0,110		4	229	4.82	230/1/50	1170x460x580	33/37	
	VRS1260K	7VS12G3K4AA01			1260x395x260				5	229		4.82	1330x460x580	33/37
	VRS1300K	7VS13G3K4AA01			1300x395x260				5	229		4.82	1410x460x580	35/39
	VRS1450K	7VS14G3K4AA01			1450x395x260				6	229		4.82	1560x460x580	39/43
	VRS1815K	7VS18G3K4AA01			1815x395x260				8	229		4.82	1885x460x580	44/49
	VRS2005K	7VS20G3K4AA01			2005x395x260				9	229		4.82	2075x460x580	49/54
	VRS2560K	7VS25G3K4AA01			2560x395x260				12	229		4.82	2630x460x580	57/63
	VALVR452A	74877075	RIDUZIONE PER VERSIONE REMOTA Valvola R452A per modello remoto			PRICE REDUCTION FOR REMOTE UNIT VERSION R452A Valve for remote model								

**** Watt TN (-10/+45°C)

I gas fluorurati a effetto serra sono contenuti in apparecchiature ermeticamente sigillate.

Dati tecnici e caratteristiche soggetti a cambiamento senza preavviso.

**** Watt TN (-10/+45°C)

Fluorinated greenhouse refrigerant gases are contained in hermetically sealed equipment.









All specifications are subject to change without notice.



Optional e Accessori

Modello Model	Codice Code	Descrizione Description	SPK- PKE	SPRING PIZZA	VRS
ACCESSORI/ ACCESSORIES					
STERILKIT		Sovrapprezzo Sterilizzatore (incompatibile con LED) Price increase for Sterilizer (not compatible with LED)		x	
KIT LED 700**		Sovrapprezzo Illuminazione a LED 700 (incompatibile con STERILKIT) Price increase for LED 700 (not compatible with STERILKIT)		x	
SERRSPRING		Sovrapprezzo per Serratura con chiave per porta Price increase for Door key lock		x	
SBRINELETSPRING		Sovrapprezzo per Sbrinamento elettrico per versioni TN Price increase for Electrical defrost		x	
UCESXSPRING		Sovrapprezzo per Motore a sx Price increase for Condensing unit on the left		x	
KITPIEDIVRS		Sovrapprezzo per Kit piedi (H165/215mm) Price increase for Set of feet for VRK (165/215mm high)			x
	72601998	Staffa supporto VRS per piano marmo Support for VRK to fix on granit work top			x
	72557148 (x2)	Coppia staffe supporto a muro Pair of wall supports			x
	74768120	Griglia inox EN 600x400 EN 600x400 s/s shelf		x	
	74768122	Griglia plastificata EN 600x400 EN 600x400 plastic coated shelf		x	
	74768002	Griglia inox GN 1/1 s/s GN 1/1 shelf	x		
	74768000	Griglia plastificata GN 1/1 Plastic coated GN 1/1 shelf	x		
	74707012	Teglia GN 1/1 h=20 GN 1/1 pan 20mm deep	x		
	74707013	Teglia GN 1/1 h=40 GN 1/1 pan 40mm deep	x		
	74707299	Vaschetta pizza polietilene 400x600 h=70mm Pizza plastic container 400x600x70mm	x	x	
	74707288	Coperchio per vaschetta pizza polietilene 400x600 h=70mm Lid for pizza plastic container 400x600 h=70mm	x	x	

Optionals & Accessories

Modello Model	Codice Code	Descrizione Description	SPK- PKE	SPRING PIZZA	VRS
ACCESSORI/ ACCESSORIES					
	57TPC750	Cassetiera pizza 500x700x850 mm 7 cassetti con piano in acciaio H 40mm senza alzatina, su piedi regolabili in altezza (Vaschette cod.74707299 non comprese) Set of 7 ambient drawers with s/s top on adjustable feet 500x700x850 mm (Pizza plastic container not included cod.74707299)			x
	5LS00015105	Cassetiera pizza 500x700x851 mm 7 cassetti con piano in acciaio H 40mm senza alzatina, su ruote diam. 80 (Vaschette cod.74707299 non comprese) Set of 7 ambient drawers with H 40mm s/s top on castors 500x700x851 mm (Pizza plastic container not included cod.74707299)			x
	57TPC450	Cassetiera pizza 500x700x850 mm 4 cassetti con piano in acciaio H 40mm senza alzatina, su piedi regolabili in altezza (Vaschette cod.74707299 non comprese) Set of 4 ambient drawers with s/s top on adjustable feet 500x700x850 mm (Pizza plastic container not included cod.74707299)			x
	5LS00015106	Cassetiera pizza 500x700x851 mm 4 cassetti con piano in acciaio H 40mm senza alzatina, su ruote diam. 80 (Vaschette cod.74707299 non comprese) Set of 4 ambient drawers with H 40mm s/s top on castors 500x700x851 mm (Pizza plastic container not included cod.74707299)			x
	5LS00015083	Cassetiera pizza 500x700x810 mm 7 cassetti con copertura inox, su piedi regolabili in altezza (Vaschette cod.74707299 non comprese) Set of 7 ambient drawers with s/s cover on adjustable feet 500x700x810 mm (Pizza plastic container not included cod.74707299)			x
	5LS00015107	Cassetiera pizza 500x700x811 mm 7 cassetti con copertura inox, su ruote diam. 80 (Vaschette cod.74707299 non comprese) Set of 7 ambient drawers with s/s cover on castors 500x700x811 mm (Pizza plastic container not included cod.74707299)			x
	5LS00015084	Cassetiera pizza 500x700x810 mm 4 cassetti con copertura inox, su piedi regolabili in altezza (Vaschette cod.74707299 non comprese) Set of 4 ambient drawers with s/s cover on adjustable feet 500x700x810 mm (Pizza plastic container not included cod.74707299)			x
	5LS00015108	Cassetiera pizza 500x700x811 mm 4 cassetti con copertura inox, su ruote diam. 80 (Vaschette cod.74707299 non comprese) Set of 4 ambient drawers with s/s cover on castors 500x700x811 mm (Pizza plastic container not included cod.74707299)			x