

CHEF 600 NX R290 (COD. E2033M3500)



Professional vertical cabinet for the storage of frozen foods

Technical data





Temperature	-10°C -25°C
Voltage and Frequency	230 V~ 50 Hz
Gas	R290
Net dimension	670 x 878 x 1945 mm (l x p x h)
Packed dimension	730 x 960 x 2126 mm (l x p x h)
Gross capacity	600 l
Net capacity	418,9 l
Gross weight	130.00 Kg
Net weight	123.00 Kg
Heat insulation	Rigid polyurethane foam "HCFC/CFC/HFC" free
External cabinet	Stainless steel - AISI 430 - scotch brite
Cabinet back	Galvanized steel sheet
Inner tank	Stainless steel sheet - AISI 304
Door frame - colour	Stainless steel - AISI 304 - scotch brite
Handle	Black plastic (built in the door frame)
Frontal grid - colour	Stainless steel - AISI 304 - scotch brite
Compressor	1/2+ HP
absorbed power	300 W
Power consumption (24h)	5,86 kWh/24h
Annual consumption (AEC)	2139,00 kWh/year
Index (EEI)	60,48
Energy efficiency class	D
Condensator	Wire and tube - maintenance free with powered fan
Evaporator	Wrapping the tank provided with auxiliary ventilator and air conveyor
Defrosting	Manual
Climatic class	4 (30°C-55%UR) L1
Plug	European - Angular Plug
Thermometer/Thermostat	Electronic with door open alarm - fast freezing function - with the possibility of operating "Energy Saving" function
Inner shelves	Grey plastified shelves - 5 removable GN 2/1
Standard equipment	Lock - 4 One-way wheels - compensation valve - general switch
Optional	Wheels - Feet
Brand	MONDIAL
Producer brand	MONDIAL FRAMEC

CHEF 600 NX R290 (COD. E2033M3500)



Layout

Professional vertical cabinet for the storage of frozen foods



* CUSTOMIZATION AREA

CHEF 600 N-NX

S_44572 - 00



**CHEF 600 NX R290
(COD. E2033M3500)**



Image

Professional vertical cabinet for the storage of frozen foods



Updated on
13/09/2018